



Aerospace Tapes

Interturbine Aviation Logistics GmbH is your **ONE STOP SOURCE** for Nitto Denko products. Nitto Denko supplies high-quality pressure-sensitive products that meet the stringent demands and numerous specifications of the aerospace industry.



Nitto Denko offers a wide range of tapes including sound and vibration damping, heat shielding, speed tapes, sealing and protection tapes.

Nitto Denko also supplies high performance flame retardant tapes that can be used in the manufacturing and refurbishment of galleys, lavatories, insulation blankets and cargo bays. All of the flame retardant tapes meet or exceed the FAA requirements.

Please contact your Interturbine representative for more information.

Germany:	germany@interturbine.com	+49 4191 809 300
France:	france@interturbine.com	+33 5 34 40 0670
UK:	unitedkingdom@interturbine.com	+44 1480 377 111
Czechia:	czechia@interturbine.com	+420 234 280 160
Hungary:	hungary@interturbine.com	+36 29 526 071
Russia:	russia@interturbine.com	+7 495 225 2434
USA / TX:	texas@interturbine.com	+1 817 633 8377
USA / FL:	florida@interturbine.com	+1 786 337 8144
USA / WA:	washington@interturbine.com	+1 425 644 5544
Canada:	canada@interturbine.com	+1 450 632 0647
UAE:	dubai@interturbine.com	+971 4 7030 418
P.R. China:	china@interturbine.com	+86 10 8048 6340 ext. 4029
Japan:	japan@interturbine.com	+81 3 6868 3169
Singapore:	singapore@interturbine.com	+65 654 69858
India:	india@interturbine.com	+91 80 40600811
Australia:	australia@interturbine.com	+61 7 3292 5200
South Africa:	southafrica@interturbine.com	+27 11 826 1167
All others:	service@interturbine.com	+49 4191 809 300

The product range includes products for flying as well as non-flying applications.

Fly-Away Tape

- tapes for moisture barrier
- carpet mounting
- sound dampening
- heat shielding
- cable harness wrapping
- and more

Non Fly-Away Tape

- tapes used in the process of assembling an aircraft or components of an aircraft
- masking tapes
- processing tapes
- surface protection tapes
- and more

Outgassing Applications

- P-11 / P-11L – Aluminium foil tape





Aerospace Tapes

NITTO DENKO Product Range

Specification / Part number	Description	Colour	Unit	ITL No.
PERMACELP-11	ALUMINIUM FOIL TAPE /WITH OUT LINER	WIDTH 3" (76,2 mm), 60 YDS/RL	RL	127431ITL
PERMACELP-11L	INTERLINED ALUMINIUM FOIL TAPE	WIDTH: 12" (304,8 mm), 60 YDS/RL	RL	210290ITL
PERMACELP-11L	INTERLINED ALUMINIUM FOIL TAPE	WIDTH: 6" (152,4 mm) 60 YDS/RL	RL	210292ITL
PERMACELP-11-25MM	ALUMINIUM FOIL TAPE	WIDTH 1" (25,4 mm), 60 YDS/RL	RL	154834ITL
PERMACELP-11-50MM	ALUMINIUM FOIL TAPE	WIDTH 2" (50,8 mm), 60 YDS/RL	RL	139516ITL
PERMACEL-P-11L-220MM	INTERLINED ALUMINIUM FOIL TAPE	WIDTH: 220 MM, 55 ME/ROLL	RL	219465ITL
PERMACELP-12L-25MM	ALUMINUM/CLOTH LAMINATED TAPE LINERED	WIDTH 1" (25,4 mm), 60 YDS/RL	RL	193391ITL
PERMACEL-P-12L-127MM	ALUMINUM/CLOTH LAMINATED TAPE LINERED	WIDTH 5" (127mm), 60 YDS/RL	RL	219480ITL
PERMACEL-P-30-105-38MM	10 MIL VINYL VINYL ELECTRICAL TAPE BLACK	WIDTH: 1 1/2" (38,1 mm), 33 YDS/RL	RL	138032ITL
PERMACEL P-50	MULTI-PURPOSE DOUBLE COATED CLOTH TAPE	WIDTH: 2" (50,8 mm), 25 YDS/RL	RL	110142ITL
PERMACEL P-55	FLAME RETARDANT DOUBLE-COATED CLOTH TAPE	WIDTH: 4" (101,6 mm), 25 YDS/RL, WHITE	RL	138212ITL
PERMACEL P-55	FLAME RETARDANT DOUBLE-COATED CLOTH TAPE	WIDTH: 3/4" (19,05 mm), 25 YDS/RL, WHITE	RL	173001ITL
PERMACELP-55	FLAME RETARDANT DOUBLE-COATED CLOTH TAPE	WIDTH: 1/2" (13 mm), 25 YDS/RL WHITE	RL	200059ITL
PERMACEL-P-55-25MM	FLAME RETARDANT DOUBLE-COATED CLOTH TAPE	WIDTH: 1" (25,4 mm), 25 YDS/RL, WHITE	RL	102945ITL
PERMACEL-P-55-50MM	FLAME RETARDANT DOUBLE-COATED CLOTH TAPE	WIDTH: 2" (50,8 mm), 25 YDS/RL, WHITE	RL	100459ITL
PERMACEL-P-68BLACK-76MM	PREMIUM VINYL/CLOTH TAPE, BLACK	WIDTH: 3" (76,2 mm), 60 YDS/RL	RL	215594ITL
PERMACEL-P-68BLUE-50MM	PREMIUM VINYL/CLOTH TAPE, BLUE	WIDTH: 2" (50,8 mm), 60 YDS/RL	RL	215564ITL
PERMACEL-P-68WHITE-50MM	PREMIUM VINYL/CLOTH TAPE, WHITE	WIDTH: 2" (50,8 mm), 60 YDS/RL	EA	127596ITL
PERMACEL P-212	GLASS CLOTH ELECTRICAL INSULATING TAPE	WIDTH: 2" (50,8 mm), 36 YDS/RL	RL	104805ITL
PERMACEL P-212	GLASS CLOTH ELECTRICAL INSULATING TAPE	WIDTH: 3" (76,2 MM), 36 YDS/RL	RL	107573ITL
PERMACEL P-212	GLASS CLOTH ELECTRICAL INSULATING TAPE	WIDTH: 1/2" (12,7 mm), 36 YDS/RL	RL	130269ITL
PERMACEL P-212	GLASS CLOTH ELECTRICAL INSULATING TAPE	WIDTH: 1/4" (6,35 mm), 36 YDS/RL	RL	137306ITL
PERMACEL P-212	GLASS CLOTH ELECTRICAL INSULATING TAPE	WIDTH: 4" (101,6 MM), 36 YDS/RL	RL	173175ITL
PERMACEL P-212HD	GLASS CLOTH HEAVY-DUTY INSULATION TAPE	WIDTH: 2" (50,8 mm), 36 YDS/RL	RL	119912ITL
PERMACEL P-212HD	GLASS CLOTH HEAVY-DUTY INSULATION TAPE	WIDTH: 3" (76,2 mm), 36 YDS/RL	RL	119913ITL
PERMACEL P-212HD	GLASS CLOTH HEAVY-DUTY INSULATION TAPE	WIDTH: 4" (101,6 mm), 36 YDS/RL	RL	148250ITL
PERMACELP-212HD	GLASS CLOTH HEAVY-DUTY INSULATION TAPE	WIDTH: 1" (25,4 MM), 36 YDS/RL	RL	137134ITL
PERMACEL P-221	1-MIL POLYIMIDE FILM ELECTR. INSUL. TAPE	WIDTH: 1/2" (12,7 mm), 36 YDS/RL	RL	137307ITL
PERMACEL P-221	1-MIL POLYIMIDE FILM ELECTR. INSUL. TAPE	WIDTH: 2" (50,8 mm), 36 YDS/RL	RL	176439ITL
PERMACEL P-224	ELECTRICAL INSULATING TAPE	WIDTH: 1" (25,4mm)	RL	201836ITL
PERMACEL-P-224-28MM	ELECTRICAL INSULATING TAPE	1 1/8"X36YD (28MMX32,9ME)	RL	206861ITL
PERMACEL P-306	VINYL PROTECTION TAPE	WIDTH: 3" (76,2 mm), 100FT/RL	RL	139014ITL
PERMACEL P-306	VINYL PROTECTION TAPE	WIDTH: 4" (101,6 mm), 100FT/RL	RL	210046ITL
PERMACELP-306	VINYL PROTECTION TAPE	WIDTH: 6" (152,4 mm), 100FT/RL	RL	107576ITL
PERMACELP-306	VINYL PROTECTION TAPE	WIDTH: 2" (50,8 mm), 100FT/RL	EA	117374ITL
PERMACELP-306	VINYL PROTECTION TAPE	WIDTH: 18" (457,2 mm), 100FT/RL	RL	126188ITL
PERMACELP-306	VINYL PROTECTION TAPE	WIDTH: 1" (25,4 mm), 100FT/RL	RL	139013ITL
PERMACEL P-306L	INTERLINED VINYL PROTECTIVE TAPE	WIDTH: 19" (482,6 mm), 33 YDS/RL	RL	107575ITL
PERMACEL P-306L	INTERLINED VINYL PROTECTIVE TAPE	WIDTH: 3" (76,2 mm), 100FT/RL	RL	119178ITL
PERMACEL P-306L	INTERLINED VINYL PROTECTIVE TAPE	WIDTH: 12" (304,8 mm), 100FT/RL	RL	147722ITL
PERMACEL P-306-L	INTERLINED VINYL PROTECTIVE TAPE	WIDTH: 6" (152,4 mm), 100FT/RL	RL	147631ITL
PERMACELP-306L	INTERLINED VINYL PROTECTIVE TAPE	WIDTH: 18" (457,2 mm), 36 YDS/RL	RL	107549ITL
PERMACELP-306L-50MM	INTERLINED VINYL PROTECTIVE TAPE	WIDTH: 2" (50,8 mm), 100FT/RL	RL	124427ITL





Aerospace Tapes



Product Range

Specification / Part number	Description	Colour	Unit	ITL No.
PERMACEL P-421	5-MIL PTFE FILM TAPE	WIDTH: 3/4" (19,05 mm), 36 YDS/RL	RL	107551ITL
PERMACEL P-421	5-MIL PTFE FILM TAPE	WIDTH: 1 1/2" (38,1 mm), 36 YDS/RL	RL	132965ITL
PERMACEL P-421	5-MIL PTFE FILM TAPE	WIDTH: 1/2" (12,7 mm), 36 YDS/RL	RL	201346ITL
PERMACELP-421	5-MIL PTFE FILM TAPE	WIDTH: 2" (50,8 mm), 36 YDS/RL	EA	120611ITL
PERMACEL P-412 "RIBBON DOPE"	TAPE PTFE THREAD SEALING	WIDTH: 1/2" (12,7 mm), 36 YDS/RL	RL	102950ITL
PERMACEL P-412 "RIBBON DOPE"	TAPE PTFE THREAD SEALING	WIDTH: 1" (25,4 mm), 36 YDS/RL	RL	103239ITL
PERMACEL-P-421-25MM	5-MIL PTFE FILM TAPE	WIDTH: 1" (25,4 mm), 36 YDS/RL	RL	107577ITL
PERMACELP-422	2-MIL PTFE FILM TAPE	WIDTH: 1/2" (12,7 mm), 36 YDS/RL	RL	104739ITL
PERMACEL P-422	2-MIL PTFE FILM TAPE	WIDTH: 1" (25,4 mm), 36 YDS/RL	RL	102941ITL
PERMACEL P-422	2-MIL PTFE FILM TAPE	WIDTH: 5/8" (15,875 mm), 36 YDS/RL	RL	129180ITL
PERMACEL P-422	2-MIL PTFE FILM TAPE	WIDTH: 2" (50,8 mm), 36 YDS/RL	RL	145163ITL
PERMACEL P-422	2-MIL PTFE FILM TAPE	WIDTH: 3/4" (19,05 mm), 36 YDS/RL	RL	209216ITL
PERMACEL-P-422-152MM	2-MIL PTFE FILM TAPE	WIDTH: 6" (152,4 MM), 36 YDS/RL	RL	217160ITL
PERMACEL-P-422-495	2-MIL PTFE FILM TAPE	WIDTH: 19 1/2" (495,3 mm), 36 YDS/RL	RL	216152ITL
PERMACEL P-423	2-MIL BONDABLE PTFE FILM TAPE	WIDTH: 1" (25,4 mm), 36 YDS/RL	EA	119880ITL
PERMACEL P-423	2-MIL BONDABLE PTFE FILM TAPE	WIDTH: 2" (50,8 mm), 36 YDS/RL	RL	137875ITL
PERMACEL P-423	2-MIL BONDABLE PTFE FILM TAPE	WIDTH: 1/2" (12,7 mm), 36 YDS/RL	RL	163742ITL
PERMACEL P-424	10-MIL PTFE FILM TAPE	WIDTH: 1" (25,4 mm), 18 YDS/RL	RL	122432ITL
PERMACELP-440	4-MIL PTFE-COATED GLASS CLOTH TAPE	WIDTH: 1" (25,4 mm), 36 YDS/RL	RL	149285ITL
PERMACEL P-440	4 MIL PTFE-COATED GLASS CLOTH TAPE	WIDTH: 2" (50,8 mm), 36 YDS/RL	RL	102944ITL
PERMACEL P-440	4-MIL PTFE-COATED GLASS CLOTH TAPE	WIDTH 1 1/4" (31,75 mm), 36 YDS/RL	EA	118895ITL
PERMACEL P-440	4-MIL PTFE-COATED GLASS CLOTH TAPE	WIDTH: 3/4" (19,05 mm), 36 YDS/RL	RL	209271ITL
PERMACEL P-629	CARGO PIT SEAM TAPE	WIDTH: 1" (25,4 mm), 36 YDS/RL	RL	211579ITL
PERMACEL P-629	CARGO PIT SEAM TAPE	WIDTH: 6" (152,4 mm), 36 YDS/RL	RL	211581ITL
PERMACELP-629	CARGO PIT SEAM TAPE	WIDTH: 3" (76,2 mm), 36 YDS/RL	RL	209205ITL
PERMACEL P-629PRL	CARGO PIT SEAM TAPE, PRINTED	WIDTH: 4" (101,6 mm), 36 YDS/RL	RL	213120ITL
PERMACEL-P-629-50MM	CARGO PIT SEAM TAPE	WIDTH: 2" (50,8 mm), 36 YDS/RL	RL	204078ITL
PERMACELP-629-101MM	CARGO PIT SEAM TAPE	WIDTH: 4" (101,6 mm), 36 YDS/RL	RL	209206ITL
PERMACEL P-703	HIGH TEMP. ALL-PURPOSE MASKING TAPE	WIDTH: 1.89" (48 mm), 60 YDS/RL	RL	206667ITL
PERMACEL P-904	SILICONE SURFACES SPLICING TAPE RED	WIDTH: 1" (25,4 mm)	RL	130992ITL

Interturbine Aviation Logistics GmbH is your **ONE STOP SOURCE** for the Nitto Denko product range.

